What is claimed is:

5

15

- Individualized intrafiber crosslinked cellulosic fibers comprising cellulose fibers reacted with an effective amount of a crosslinking agent in the presence of an effective amount of a C₄ -C₁₂ polyol to form intrafiber crosslinked cellulosic fibers characterized by Whiteness Index, (WI_{CDM-L)}) greater than about 69.0.
- 2. The fibers of Claim 1 having an L value greater than about 94.5.
- 3. The fibers of Claim 1 having an a value greater than about -1.55 and less than about -0.60.
- 10 4. The fibers of Claim 1 having a b value less than about 8.50.
 - 5. The fibers of Claim 1 wherein the crosslinking agent is an α -hydroxy polycarboxylic acid.
 - 6. The fibers of Claim 5 wherein the α-hydroxy polycarboxylic crosslinking agent is selected from the group consisting of malic acid, tartaric acid, citric acid, tartronic acid, α-hydroxyglutaric acid, and citramalic acid and mixtures thereof.
 - 7. The fibers of claim 6 wherein the crosslinking agent is citric acid.
 - 8. The fibers of Claim 6 wherein the crosslinking agent is malic acid.
 - 9. The fibers of Claim 6 wherein the crosslinking agent is tartaric acid.
- 20 10. The fibers of Claim 1 wherein the polyol is selected from the group consisting of acyclic polyols, alicyclic polyols, and heterosides andmixtures thereof.

25277 App.doc -17-

- 11. The fibers of Claim 10 wherein the acyclic polyol is selected from the group consisting of erythritol, xylitol, arabinitol, ribitol, sorbitol, mannitol, perseitol and volemitol and mixtures thereof.
- 12. The fibers of Claim 11 wherein the acyclic polyol is sorbitol.
- 5 13. The fibers of Claim 10 wherein the alicyclic polyol is myo-inositol.
 - 14. The fibers of claim 10 wherein the heteroside is maltitol.
 - 15. The fibers of claim 10 wherein the heteroside is lactitol.
 - 16. The fibers of Claim 1 having a brightness greater than about 79.0 % ISO.
- 17. The fibers of Claim 1 wherein the wet bulk is greater than about 16 cc/g.
 - 18. The fibers of Claim 1 wherein the polyol is present from about 1 % to about 10 % of the weight of the cellulose fiber.
 - 19. The fibers of Claim 1 wherein the polyol is present from about 2 % to about 6% of the weight of cellulose fiber.

15